CARBOHYDRATE RESEARCH VOL. 207 (1990)

AUTHOR INDEX

Abeysekera, R. M., 307
Alais, J., 11
Albersheim, P., c1
Alton, G., 259
Andrew, D., 295

Baer, H. H., 81
Baker, D. C., 277
Baumes, R., 39
Bayonove, C., 39
Bird, K. T., 319
Brade, H., 327
Brown, R. G., 307
Burd, R., 295

Caer, V., 287
Calub, T. M., 221
Canellas, J., 126
Cherniak, R., 101
Chiles, T. C., 319

Darvill, A., c1
Das, S., 336
Deléens, E., 287
Demetzos, C., 131
Drakenberg, T., 177
Driguez, H., 126

Ebringerová, E., 121
Emori, Y., 311
Excoffier, G., 126

Fernandez de la Pradilla, R., 249
French, A. D., 221
Fukushi-Fujikura, Y., 91

Garg, H. G. 295
Ghosal, P. K. 336

Hämäläinen, M. D., 167
Hashimoto, H., 153
Hernández Mateo, F., 81
Hindsgaul, O., 259
Holme, K. R., 143
Holst, O., 327
Horito, S., 153

Jain, R. K., 57
Jaramillo, C., 249

Jeffrey, G. A., 211
Jiang, C., 277
Jimenez-Barbero, J., 249
Johansson, C., 177
Jones, R. G., 101

Kačuráková, M., 121
Kamerling, J. P., 237
Kauffman, T., 33
Khan, S. H., 57
Klaffke, W., 33
Koch, M., 131
Kördel, J., 177

Lerner, L. M., 138
Lindberg, B., 307
Lippay, E. W., 295
López Aparicio, F. J., 81

M'Bairaroua, O., 39
Maas, A. A. M., 237
Mabusela, W. T., 332
Maclean, D. B., 1
Maeda, M., 91
Maluszynska, H., 211
Martin, M. L., 287
Martin Willison, J. H., 307
Martin-Lomas, M., 249
Masuda, A., 311
Matta, K. L., 57
Meyer, B., c1
Morris, Jr., P. E., 277
Mosihuzzaman, M., 307

Nahar, N., 307
Naulet, N., 287
Neame, P. J., 295
Nordkvist, E., 167

Ogihara, Y., 71
Ohno, N., 311
Oikawa, S., 311
Okamoto, N., 71
Otsuru, O., 91

Peltier, J. M., 1
Penades, S., 249
Perlin, A. S., 143

Pertrak, E., 121
Philipp, C., 33
Pou-Ilinas, J., 126

Ray, B., 336
Reinhardt, D. J., 101
Rej, R. N., 143

Saito, K., 311
Santoyo González, F., 81
Schedler, D. J. A., 277
Schwebel-Dugué, N., 287
Sellers, J., c1
Serianni, A. S., 185
Shibata, S., 71
Skaltsounis, A. -L., 131
Slaghek, T. M., 237
Smith, R. W., 1
Srivastava, G., 259
Stephen, A. M., 332
Stortz, C. A., 101
Szarek, W. A., 1

Takeda, T., 71
Tamura, J. -I., 153
Tapiero, C., 39
Ternrud, I. E., 167
Theander, O., 167
Thiem, J., 33
Tillequin, F., 131
Treber, T. D., 101

Utsuno, A., 71

van Oijen, A. H., 237
Veyrières, A., 11
Vignon, M., 126
Vliegenthart, J. F. G., 237
Voirin, S., 39
Vuorinen, T., 185

Waterhouse, A. L., 221

Yadomae, T., 311
York, W., c1
Yoshimura, J., 153

Zapata, A., 249
Zayed, A.-H. A., 277

CARBOHYDRATE RESEARCH VOL. 207 (1990)

SUBJECT INDEX

Acetals of *myo*-inositol and its (±)-1-benzyl ether, improved preparation of, 249

Acetylated aldoses, multivariate calibration in the g.l.c. determination of, 167

Agglutinin from red alga, *Gracilaria tikvahiae* purification of, 319

Alditol acetates, partially methylated, identification of the mass spectra of, by artificial neural networks, c1

Almond shells, production of xylose by steam pretreatment of, 126

Amines, formation from azides during mass spectrometry of, 1

Analysis of *myo*-inositol phosphates by 2D ^{1}H-n.m.r. spectroscopy, 177

Antigenic polysaccharide from *Peptostreptococcus anaerobius*, structure, 101

Apigenin glycosides, phase-transfer-catalyzed synthesis of, 131

Arabinoglucuronomannoglycan from the leaves of *Ornithogalum thyrsoides*, 332

Artificial neural networks, identification of the mass spectra of partially methylated alditol acetates by, c1

Azides, reduction under conditions of d.c.i. or f.a.b. mass-spectrometry of, 1

i-Blood group active poly-(*N*-acetyllactosamine) series, synthesis of fragments of, 11

Bryopsis maxima, a siphonous green alga, cellulose in, 91

Calcium ions, binding to heparin of, 143

3-*C*-Carbamoyl-3-*C*-cyano-3-deoxyhexopyranosides by cyclization of dialdehydes with cyanoacetamide, 81

Cellulose in the cell wall of *Bryopsis maxima*, a siphonous green alga, 91

Combined chemical–enzymic synthesis of deoxygenated oligosaccharide analogs: transfer of deoxygenated D-Glc*p*NAc residues from their UDP-Glc*p*NAc derivatives using *N*-acetylglucosaminyltransferase I, 259

Complexation of silver ion with the glycosyl donor and acceptor on the regio- and stereo-selectivity in the β-mannopyranosylation of 1,3-di-*N*-benzyloxycarbonyl-2-deoxystreptamine using silver triflate in THF, effect of, 153

Conformational analysis of inulobiose by molecular mechanics, 221

Copper ions, binding to heparin of, 143

Crystal structure and thermotropic liquid-crystal properties of *N*-*n*-undecyl-D-gluconamide, 211

Cyanoacetamide, synthesis of branched hexopyranosides by cyclization of dialdehydes with, 81

3-Deoxy-5-*O*-α-L-rhamnopyranosyl-D-*manno*-2-octulopyranosonate from the inner core region of the lipopolysaccharide of *E. coli* K-12, isolation and identification, 327

Dipeptide, N-triglycosyl-, synthesis of α and β anomer of, 71

Ferric chloride, formation of β-D-ribofuranosyl β-D-ribofuranoside hexabenzoate catalyzed by, 138

Flavonoid glycosides, phase-transfer-catalyzed synthesis of, 131

Fluorinated derivatives of *myo*-inositol, synthesis and deuterium labeling, 277

Gadolinium ions, binding to heparin of, 143

G.l.c. determination of acetylated aldoses, multivariate calibration in the, 167

β-D-Glucans, reactivity of *Limulus* amoebocyte lysate towards (1→3)-, 311

D-Gluconamide, *N*-*n*-undecyl-, crystal structure and thermotropic liquid-crystal properties, 211

Glycosides, monoterpenyl, of grape, synthesis of, 39

Glycosyl donor and acceptor on the regio- and stereo-selectivity in the β-mannopyranosylation of 1,3-di-*n*-benzyloxycarbonyl-2-deoxystreptamine using silver triflate in THF, effect of complexation of silver ion with the, 153

Gracilaria tikvahiae, purification of agglutinin from, 319

Grape monoterpenyl glycosides, synthesis of, 39

Hexopyranosides, branched by cyclization of dialdehydes with cyanoacetamide, 81

Hydrogen isotope ratios in the characterization of plant cellulose, site-specific natural, 287

Infrared spectra of the positional isomers of the methyl xylobiosides in the "anomeric region", 121

myo-Inositol and its (±)-1-benzyl ether, improved preparation of acetals of, 249

myo-Inositol, 5-deoxy-5-fluoro derivatives, synthesis and deuterium labeling, 277

myo-Inositol phosphates, analysis by 2D ^{1}H-n.m.r. spectroscopy, 177

Inulobiose, conformational analysis of, by molecular mechanics, 221

Isolation and identification of 3-deoxy-5-*O*-α-L-rhamnopyranosyl-D-*manno*-2-octulopyranosonate from the inner core region of the lipopolysaccharide of *E. coli* K-12, 327
Keloid scar, human, proteoglycans from, 295
Limulus amoebocyte lysate, reactivity towards (1→3)-β-D-glucans, 311
Lipopolysaccharide of *E. coli* K-12, isolation and identification of 3-deoxy-5-*O*-α-L-rhamnopyranosyl-D-*manno*-2-octulopyranosonate from the inner core region of the, 327
Liquid-crystal properties of *N*-*n*-undecyl-D-gluconamide, and crystal structure, 211
β-Mannopyranosylation of 1,3-di-*N*-benzyloxycarbonyl-2-deoxystreptamine using silver triflate in THF, effect of complexation of silver ion with the glycosyl donor and acceptor on the regio- and stereo-selectivity in the, 153
D-Mannosyl-oligosaccharides, synthesis of methyl and 4-nitrophenyl glycosides of, 57
Mass spectra of partially methylated alditol acetates, identification of, by artificial neural networks, c1
Mass spectrometry, d.c.i. and f.a.b., reduction of azides to amines during, 1
C-Methyl-branched sugars, synthesis in the presence of tetramethylzirconium (IV) of, 33
(4-*O*-Methyl-D-glucurono)-D-xylan isolated from the mucilage of seeds of the quince tree (*Cydonia oblonga*), an unusual, 307
Methyl glycoside of D-mannosyl-oligosaccharides, synthesis of, 57
Methyl xylobiosides, infrared spectra of the positional isomers of the, in the "anomeric region", 121
Molecular mechanics, conformational analysis of inulobiose by, 221
Multivariate calibration in the determination of acetylated aldoses by g.l.c., 167
N.m.r. spectroscopy, analysis of *myo*-inositol phosphates by 2D-, 177
N.m.r. spectroscopy, ^{1}H- and ^{13}C-, the analysis of ^{13}C-substituted pentos-2-uloses, 185
Nephritogenoside, synthesis of fragment of, 11
4-Nitrophenyl glycoside of D-mannosyl-oligosaccharides, synthesis of, 57
Oligosaccharide analogs, combined chemical–enzymic synthesis of deoxygenated, 259
Oligosaccharides, linear, tetra, hexa, and octa, synthesis of, 11
Ornithogalum thyrsoides, an arabinoglucuronomannoglycan from the leaves of, 332
Pentos-2-uloses, synthesis of ^{13}C-substituted, solution composition, and conformations (analysis by ^{1}H- and ^{13}C-n.m.r. spectroscopy), 185
Peptostreptococcus anaerobius, polysaccharides from, and structure of the species-specific antigen, 101
Polysaccharide, from the seeds of *Salmalia malabarica*, structural studies of a, 336
Polysaccharides from *Peptostreptococcus anaerobius* and structure of the species-specific antigen, 101
Polysaccharides of *Streptococcus pneumoniae* types 6A and 6B, synthesis of structural elements of the capsular, 237
Preparation of acetals of *myo*-inositol and its (±)-1-benzyl ether, improved, 249
Proteoglycans from human keloid scar, 295
Quercetin glycosides, phase-transfer-catalyzed synthesis of, 131
Quince tree (*Cydonia oblonga*), an unusual (4-*O*-methyl-D-glucurono-(-D-xylan isolated from the mucilage of seeds of the, 307
Reactivity of *Limulus* amoebocyte lysate towards (1→3)-β-D-glucans, 311
Red alga, *Gracilaria tikvahiae*, purification of agglutinin from, 319
Repetitive oligosaccharide sequences, synthesis of, 11
β-D-Ribofuranoside, β-D-ribofuranosyl, hexabenzoate, formation catalyzed by $FeCl_3$ of, 138
β-D-Ribofuranosyl β-D-ribofuranoside hexabenzoate, formation catalyzed by $FeCl_3$ of, 138
Salmalia malabarica, structural studies of a polysaccharide form the seeds of, 336
Scar, human keloid, proteoglycans from, 295
Siphonous green alga, *Bryopsis maxima*, cellulose in, 91
Site-specific natural hydrogen isotope ratios in the characterization of plant cellulose, 287
Steam pretreatment, production of xylose from almond shells by, 126
Streptococcus pneumoniae types 6A and 6B, synthesis of structural elements of the capsular polysaccharides of, 237
Synthesis of deoxygenated oligosaccharide analogs, combined chemical–enzymic, 259
Synthesis of structural elements of the capsular polysaccharides of *Streptococcus pneumoniae* types 6A and 6B, 237
Tetramethylzirconium(IV), synthesis of *C*-methyl branched sugars in the presence of, 33
Terpenyl glycosides of grape, synthesis of, 39
N-Triglycosyldipeptide, α and β anomer synthesis of, 71
Xylan, an unusual (4-*O*-methyl-D-glucurono)-D-, from the mucilage of seeds of the quince tree (*Cydonia oblonga*), 307
Xylobiosides, infrared spectra of the positional isomers of the methyl, in the "anomeric regon", 121
Xylose, production from almond shells by steam pretreatment of, 126
Zirconium(IV), tetramethyl-, synthesis of *C*-methyl branched sugars in the presence of, 33

Purification and characterization of iduronic acid-rich and glucuronic acid-rich proteoglycans implicated in human post-burn keloid scar
H.G. Garg, E.W. Lippay, D. Andrew, R. Burd (Boston, MA, U.S.A.), and P.J. Neame (Tampa, FL, U.S.A.) 295

An unusual (4-*O*-methyl-D-glucurono)-D-xylan isolated from the mucilage of seeds of the quince tree (*Cydonia oblonga*)
B. Lindberg (Stockholm, Sweden), M. Mosihuzzaman, N. Nahar (Dhaka, Bangladesh), R.M. Abeysekera, R.G. Brown, and J.H. Martin Willison (Halifax, N.S., Canada) 307

Reactivity of *Limulus* amoebocyte lysate towards (1→3)-β-D-glucans
N. Ohno, Y. Emori, T. Yadomae, K. Saito, A. Masuda, and S. Oikawa (Tokyo, Japan) . 311

Gracilaria tikvahiae agglutinin. Partial purification and preliminary characterization of its carbohydrate specificity
T.C. Chiles (Boston, MA, U.S.A.) and K.T. Bird (Wilmington, NC, U.S.A.) 319

Notes

Isolation and identification of 3-deoxy-5-*O*-α-L-rhamnopyranosyl-D-*manno*-2-octulopyranosonate from the inner core region of the lipopolysaccharide of *Escherichia coli* K-12
O. Holst and H. Brade (Borstel, F.R.G.) 327

An arabinoglucuronomannoglycan from the leaves of *Ornithogalum thyrsoides*
W.T. Mabusela and A.M. Stephen (Rondebosch, South Africa) 332

Structural studies of a polysaccharide from the seeds of *Salmalia malabarica*
S. Das, P.K. Ghosal, and B. Ray (Burdwan, India) 336

Identification of the mass spectra of partially methylated alditol acetates by artificial neural networks
J. Sellers, W. York, P. Albersheim, A. Darvill, and B. Meyer (Athens, GA, U.S.A.) c1

Author index c7

Subject index c9

INFORMATION FOR AUTHORS

For the full Instructions to Authors see *Carbohydr. Res.*, 132 (1984) 185–199; these should be consulted when preparing manuscripts for submission.

Papers should deal with original work not published elsewhere in an accessible language. Manuscripts (3 copies) should be prepared in typing with a 1-cm space between each line; this includes legends to Figures, references, and footnotes.

Flexibility in presentation of results will be allowed and the general type of preparation should be similar to that adopted in this issue. Careful attention must be paid to nomenclature, which should conform to the British-American Rules of Carbohydrate Nomenclature [*J. Org. Chem.*, 28 (1963) 281; *J. Chem. Soc.*, (1962) 5307] until there is full international agreement by IUPAC.

References should be given at the end of the paper: they should be numbered and the numbers should appear in the text in sequence at the appropriate places as superscripts without parentheses. The abbreviation of journal titles should conform to those adopted by the *Bibliographic Guide for Editors and Authors*, Chemical Abstracts Service, Columbus, OH 43210, and should be followed by volume number, year (in parentheses) and inclusive pagination. For example: *Carbohydr. Res.*, 6 (1968) 63–74. Each paper should have an abstract of 80–200 words. For papers in French or German, an English abstract should be supplied.

Line drawings should be in a form suitable for reduction and reproduction, drawn in black ink on drawing paper or tracing paper. All artwork should be original or a good quality photocopy and must be on a separate sheet and not attached to the manuscript page.

Photographs should be submitted as clear black-and-white prints on glossy paper.

Tables, and a list of legends to the illustrations, should be typed on separate pages and placed at the back of the manuscript.

Articles submitted as Preliminary Communications should be accompanied by a letter explaining the special justification for urgent publication, together with sufficient supplementary information (analytical and spectroscopic data) to permit referees to judge the soundness of the work. The typewritten text for publication, including references, charts, and formulae, should not normally exceed four pages. In the interest of rapid publication, proofs of Preliminary Communications will not be circulated to the author unless a specific request is made at the time of submission, in which case the author should, if possible, supply a FAX number for the transmittal of proof pages.